



EDMUND G. BROWN JR.
GOVERNOR

MATTHEW RODRIGUEZ
SECRETARY FOR
ENVIRONMENTAL PROTECTION

State Water Resources Control Board

Division of Drinking Water

April 6, 2018
Certified Mail/Return
7012 3460 0003 1112 9035

Silver Dollar Fairgrounds
2357 Fair Street
Chico, CA 95928

Attention: Melissa Fornof, Exhibit Representative

Subject: Silver Dollar Fairgrounds, Public Water System No. 0405003 – Citation No. 21-18C-007 for Lead and Copper Rule Monitoring Violation.

It has come to our attention that the Silver Dollar Fairgrounds water system did not monitor and report lead and copper sample results in the year 2017 according to the Lead and Copper Rule (LCR) which allows the Silver Dollar Fairgrounds to sample every three years. Consequently, the Division of Drinking Water has issued the enclosed Citation for Noncompliance (Citation) with Title 22 California Code of Regulations, Sections 64675 and 64690.1.

Please review the enclosed Citation and note directives for corrective action and public notification.

If you have any questions please call Paul Rowe at (530) 224-4866 or contact me directly at (530) 224-4861.

A handwritten signature in black ink, appearing to read "R. Crenshaw".

Reese B. Crenshaw, P.E.
Valley District Engineer
DRINKING WATER FIELD
OPERATIONS BRANCH

Enclosures

1 STATE WATER RESOURCES CONTROL BOARD

2 DIVISION OF DRINKING WATER

3
4 **Public Water System:** Silver Dollar Fairgrounds

5 **Water System No.:** 0405003

6
7 **To:** Silver Dollar Fairgrounds
8 Attn: Melissa Fornof, Exhibit Representative
9 2357 Fair Street
10 Chico, CA 95928

11
12 **Issued:** April 6, 2018
13 VIA CERTIFIED MAIL

14
15
16 **CITATION NO. 21-18C-007 FOR NONCOMPLIANCE**

17 **with Title 22 California Code of Regulations**

18 **Sections 64675 and 64690**

19
20 Section 116650 of the California Health and Safety Code (CHSC) authorizes the
21 issuance of a citation for failure to comply with a requirement of the California Safe
22 Drinking Water Act (CHSC, Division 104, Part 12, Chapter 4, commencing with
23 Section 116270), or any regulation, standard, permit, or order issued thereunder.

24
25 The State Water Resources Control Board, acting by and through its Division of
26 Drinking Water (hereinafter "Division") and the Deputy Director for the Division,



1 hereby issues a citation to the Silver Dollar Fairgrounds for failure to comply with
2 Sections 64675 and 64690, Title 22, of the California Code of Regulations (CCR).

3
4 **APPLICABLE AUTHORITIES**

5
6 **STATEMENT OF FACTS**

7 The Silver Dollar Fairgrounds (Water System) is classified as a non-community water
8 system serving approximately 195 people. Because the Water System meets a
9 standard lead and copper sampling frequency, it is required to collect ten (10) lead
10 and copper samples every three years according to Table 64675-A and section
11 64675.5 of Title 22. The Water System failed to collect and report lead and copper
12 samples for the final year in the triennial period ending in 2017. The last samples
13 submitted to the Division were taken in October 2014.

14
15 **DETERMINATIONS**

16 The Division has determined that the Water System violated Section 64675.5(a)(1)
17 and Section 64690.1, Title 22, of the CCR, in that the Water System failed to collect
18 and report triennial samples in 2017.

19
20 **DIRECTIVES**

21 The Water System is hereby directed to take the following actions:

- 22
- 23 1. Comply with Section 64675.5(a)(2), Title 22, of the CCR in all future
 - 24 monitoring periods.
 - 25 2. **Conduct lead and copper monitoring from ten (10) locations where**
 - 26 **drinking water is consumed in June, July, August, or September of**

1 **2018, and then again in June, July, August, or September of 2020.**
2 **Thereafter, triennial sampling (every three years) may resume.**
3 Samples shall be collected in accordance with the Lead and Copper Rule
4 Sampling per Title 22, Section 64677. The analytical results must be
5 reported to the Division by the 10th day of the month following the month in
6 which the analysis was completed.

- 7
8 3. The Water System shall provide public notification (by inclusion in the **2017**
9 **Consumer Confidence Report**) of the failure to sample lead and copper,
10 as required by the Lead and Copper regulations. Utilizing the notification
11 provided in Attachment B. You must return the proof of notification in
12 Attachment C by no later than July 1, 2018, for either notification method.

13
14 All documents required by this Citation to be submitted to the Division shall be
15 submitted to the following address:

16
17 Reese B. Crenshaw, P. E.
18 Valley District Engineer
19 Drinking Water Field Operations
20 Division of Drinking Water
21 State Water Resources Control Board
22 364 Knollcrest Drive, Suite 101
23 Redding, CA 96002
24 (530) 224-4800
25

1 Nothing in this Citation relieves the Water System of its obligation to meet the
2 requirements of Health and Safety Code, Division 104, Part 12, Chapter 4 (California
3 Safe Drinking Water Act), or any regulation, permit, standard or order issued or
4 adopted thereunder.

5
6 The Division reserves the right to make such modifications to this Citation, as it may
7 deem necessary to protect public health and safety. Such modifications may be
8 issued as amendments to this Citation and shall be effective upon issuance.

9
10 **FURTHER ENFORCEMENT ACTION**

11 The California SDWA authorizes the State Board to: issue citation with assessment of
12 administrative penalties to a public water system for violation or continued violation of
13 the requirements of the California SDWA or any permit, regulation, permit or order
14 issued or adopted thereunder including, but not limited to, failure to correct a violation
15 identified in a citation or compliance order. The California SDWA also authorizes the
16 State Board to take action to suspend or revoke a permit that has been issued to a
17 public water system if the system has violated applicable law or regulations or has
18 failed to comply with an order of the State Board; and to petition the superior court to
19 take various enforcement measures against a public water system that has failed to
20 comply with violates an order of the State Board. The State Board does not waive any
21 further enforcement action by issuance of this citation.

22
23
24 **PARTIES BOUND**

25 This Citation shall apply to and be binding upon the Water System, its officers,
26 directors, agents, employees, contractors, successors, and assignees.


1 **SEVERABILITY**

2 The directives of this Citation are severable, and the Water System shall comply with
3 each and every provision thereof notwithstanding the effectiveness of any other
4 provision.

5
6
7
8 R. Crenshaw

9 Reese B. Crenshaw, P.E., District Engineer
10 Valley District
11 Drinking Water Field Operations Branch

4/6/18
Date



12
13 **Attachments:**

14 Attachment A: Applicable Authorities

15 Attachment B: Public Notification Document

16 Attachment C: Proof of Public Notification



APPLICABLE AUTHORITIES

Enforcement Actions

Section 116650 of the CHSC states in relevant part:

- (a) If the Department determines that a public water system is in violation of this chapter or any regulation, permit, standard, citation, or order issued or adopted thereunder, the department may issue a citation to the public water system. The citation shall be served upon the public water system personally or by certified mail. Service shall be deemed effective as of the date of personal service or the date of receipt of the certified mail. If a person to whom a citation is directed refuses to accept delivery of the certified mail, the date of service shall be deemed to be the date of mailing.*
- (b) Each citation shall be in writing and shall describe the nature of the violation or violations, including a reference to the statutory provision, standard, order, citation, permit, or regulation alleged to have been violated.*
- (c) A citation may specify a date for elimination or correction of the condition constituting the violation.*
- (d) A citation may include the assessment of a penalty as specified in subdivision (e).*
- (e) The department may assess a penalty in an amount not to exceed one thousand dollars (\$1,000) per day for each day that a violation occurred, and for each day that a violation continues to occur. A separate penalty may be assessed for each violation.*

Petitions to Orders and Decisions

Section 116701 of the CHSC states in relevant part:

- (a) Within 30 days of issuance of an order or decision issued by the deputy director under Article 8 (commencing with Section 116625) or Article 9 (commencing with Section 116650), an aggrieved person may petition the state board for reconsideration. Where the order or decision of the deputy director is issued after a hearing under Chapter 5 (commencing with Section 11500) of Part 1 of Division 3 of Title 2 of the Government Code, this section shall apply instead of Section 11521 of the Government Code.*
- (b) The petition shall include the name and address of the petitioner, a copy of the order or decision for which the petitioner seeks reconsideration, identification of the reason the petitioner alleges the issuance of the order was inappropriate or improper, the specific action the petitioner requests, and other information as the state board may prescribe. The petition shall be accompanied by a statement of points and authorities of the legal issues raised by the petition.*
- (c) The evidence before the state board shall consist of the record before the deputy director and any other relevant evidence that, in the judgment of the state board, should be considered to implement the policies of this chapter. The state board may, in its discretion, hold a hearing for receipt of additional evidence.*
- (d) The state board may refuse to reconsider the order or decision if the petition fails to raise substantial issues that are appropriate for review, may deny the petition upon a determination that the issuance of the order or decision was appropriate and proper, may set aside or modify the order or decision, or take other*

ATTACHMENT A

appropriate action. The state board's action pursuant to this subdivision shall constitute the state board's completion of its reconsideration.

- (e) The state board, upon notice and hearing, if a hearing is held, may stay in whole or in part the effect of the order or decision of the deputy director.*
- (f) If an order of the deputy director is subject to reconsideration under this section, the filing of a petition for reconsideration is an administrative remedy that must be exhausted before filing a petition for writ of mandate under Section 116625 or 116700.*

Lead and Copper Regulations

Section 64675.5, Title 22, of the CCR states in relevant part:

- (a) A system shall conduct standard tap sampling for two consecutive periods; thereafter, tap sampling frequency may be reduced pursuant to section 64675 (General Requirements for Tap Sampling for Lead and Copper) as follows:*
 - (1) If a system has 90th percentile levels that do not exceed 0.005 mg/L for lead and 0.65 mg/L for copper for two consecutive periods, it may reduce the sampling to once every three years at the reduced number of sites.*

Section 64690.1, Title 22, of the CCR states in relevant part:

Each system shall report the following within the first 10 days after the end of each period during which such sampling or monitoring was conducted:

- (a) For lead and copper tap sampling:*

ATTACHMENT A

- (1) The results of all tap samples including the location of each site and the associated tier criteria from section 64676 (Sample Site Selection);*
- (2) The 90th percentile lead and copper concentrations calculated pursuant to section 64678 (Determination of Exceedances of Lead and Copper Action Levels); and*
- (3) With the exception of the first period of tap sampling, an identification of any site that was not sampled during previous periods, along with an explanation of why the sampling site was changed;*

IMPORTANT INFORMATION ABOUT YOUR DRINKING WATER

Este informe contiene información muy importante sobre su agua potable.

Tradúzcalo o hable con alguien que lo entienda bien.

**SILVER DOLLAR FAIRGROUNDS FAILED TO COLLECT
AND REPORT LEAD & COPPER SAMPLES FOR 2017**

Our water system recently violated a water quality monitoring requirement. Although this is not an emergency, as our customers, you have a right to know what you should do, what happened, and what we did to correct this situation.

What should you do?

- There is nothing you need to do at this time.
- If you have health issues concerning the consumption of this water, you may wish to consult your doctor.

What happened? What was done?

Silver Dollar Fairgrounds failed to collect and report 10 (ten) lead and copper samples in 2017, as required by state and federal regulations. These regulations require that public water systems notify their customers for monitoring violations.

Silver Dollar Fairgrounds will collect these samples on _____, 2018.

For more information, please contact Melissa Fornof at 530-895-4666.

Please share this information with all the other people who drink this water, especially those who may not have received this notice directly. You can do this by posting this public notice in a public place or distributing copies by hand or mail.

This notice is being posted by the Silver Dollar Fairgrounds.

State Water System ID#: 0405003. Date distributed: _____.

CERTIFICATION OF COMPLETION OF PUBLIC NOTIFICATION

This form when completed and returned to the Division of Drinking Water and Environmental Management (364 Knollcrest Drive, Suite 101, Redding, CA 96002 or fax to 530-224-4844), serves as certification that public notification to water users was completed as required by the California Water Quality and Monitoring Regulations. Completing public notification and providing the Department with certification is important. Failure to do so will result in additional hourly time charges to your water utility and may result in a formal enforcement action with monetary penalties.

Public Water System Name Silver Dollar Fairgrounds

Public Water System No. 0405003

Public notification for the 2017 LCR monitoring failure was performed by the following method(s):

Check and Complete

a) ☐ By posting of the notice in conspicuous locations served by the water system.

List locations: _____

For this method, provide the date(s) that the notice was posted _____

I hereby certify that the above information is factual.

Printed Name

Signature

Date